

» CHILDREN'S PRODUCTS



Exclusive information for health-care professionals





CHILDREN'S PRODUCTS TO SUPPORT THEIR HEALTH AND WELL-BEING



ULTRACONCENTRATED PROBIOTIC FORMULA

MORE THAN 2 MONTHS OF TREATMENT

- » 10 billion CFUs per serving (11,5 billion incorporated).
- » Delivers 12 scientifically proven probiotic strains critical for children's health, including L- reuteri.
- » Fortified with Inulin and AOS (prebiotics).
- » With a convenient scoop for ease of dosage.
- Can be added to juices or easily incorporated into foods without changing taste or texture.

2 rounded scoops daily



Digestive alterations^{1,2,3,4,5}- (Acute gastroenteritis, dysbiosis, antibiotic associated diarrhoea, inflammatory intestinal disease, irritable bowel syndrome (IBS), colic in babies, constipation, and celiac disease).

Digestive support⁵ - (Improving nutrient absorption and assimilation).

Allergies^{5,6} - (dermatitis/atopic eczema, lactose intolerance, allergic rhinitis, asthma).

Reinforcement of the immune system 5.7 - (respiratory and urinary tract infections).

Nutritional information	2 scoops
Human strains:	2 3000053
B. infantis R0033	1,000 billion CFU
L. acidophilus R0418	388 million CFU
L. reuteri HA188	350 million CFU
B. longum ssp. longum R0175	212 million CFU
B. breve R0070	212 million CFU
Plant strain:	
L. plantarum R1012	282 million CFU
Dairy strains:	
L. rhamnosus R0011	4,644 billion CFU
L. rhamnosus R1039	2,121 billion CFU
L. helveticus R0052	353 million CFU
L. casei R0215	282 million CFU
S. salivarius ssp.	_
thermophilus R0083	141 million CFU
L. delbrueckii ssp.	_
bulgaricus R9001	35 million CFU
Inulin	31,4 mg
Arabinogalactano	6 mg



HIGH-QUALITY OMEGA-3 FOR BRAIN DEVELOPMENT

- » Highly concentrated oil sourced from wild, deep sea-dwelling sardines and anchovies.
- » Free from contamination (heavy metal, dioxines, PCBs).
- » Purified through molecular distillation (high purity).
- » Pharmaceutical grade oil.
- » 2:1 ratio: 552 mg EPA 216 mg DHA per day (4 softgels) for optimal and proven efficacy.
- » Chewable softgels with natural lemon flavour, sugar-free (sweetened with stevia).

1 softgel four times daily

Indications: (as of 1 year of age)

Development and function of the brain and visual system[®]

(Memory, concentration, understanding, learning, mood).

Prevention and improvement of the symptoms of neurocognitive disorders in children 9,10,11 - (ADHD, dyslexia, autism).

Beneficial during pregnancy and breast-feeding (200 mg DHA) ⁵⁶- (hypertension and gestational diabetes, postpartum depression, preventing prematurity, preeclampsia).

Promotion of growth during early postnatal life¹⁴

Improvement of bronchial asthma and pulmonary function¹⁵

Prevention and treatment of inflammatory diseases¹⁵ - (Crohn's disease, ulcerative colitis, psoriasis...).



VITAMIN D3 FOR THE DEVELOPMENT OF HEALTHY BONES AND TEETH IN CHILDREN

- » Delivers the biologically active form of vitamin D3 (cholecalciferol).
- » At 400 IU per drop, dosage can be easily tailored to suit individual requirements.
- » One bottle contains approx. 500 drops.
- » The neutral taste of the drops allows their intake either undiluted under the tongue, or stirred into cold drinks, cereal, fruit or yoghurt.

1 drop daily

Indications:

Helps achieve adequate levels of vitamin D for optimal health.

Instrumental for the absorption and regulation of calcium and phosphorus for the development and maintenance of healthy bones, muscle function, nails, and teeth¹⁶.

Contributes to normal immune function.

Can be helpful in respiratory infections, asthma.

Supports maintenance of healthy brain function and mental health.



SPECIFIC NUTRITIONAL SUPPLEMENT FOR WOMEN FROM CONCEPTION TO NURSING.

Complete multivitamin formula to meet the nutritional demands of preconception, gestation and breastfeeding.

1-3 capsules daily

With 12 VITAMINS and 12 MINERALS with highest degree of bioavailability.

- **Vitamin C** Buffered for optimal tolerance and bioavailability.
- **Vitamin D** Fundamental for baby bone development.
- **Vitamin K**, Active in blood-clotting process.
- **Vitamin E** A deficit is associated with premature membrane rupture.
- **Vitamin B complex** Contains vitamin B₁, B₂, B₃, B₅, B₆, B₁₂, biotin
- **Calcium** The foetus consumes 200-300 mg daily.
- **Iron** Chelated form for greater bioavailability.
- **lodine** Fundamental for the child's neurological development.
- **Magnesium** The need practically doubles in the third trimester. Its most bioavailable form, magnesium bisglycinate, has been included in this formulation.
- **Zinc** 82% of pregnant women have a deficit. Risk of premature birth.
- **Chrome** Its deficit is associated with gestational diabetes.
- Selenium, copper, manganese, molybdenum, potassium and boron (other important minerals during pregnancy).

PROBIOTICS PRESENT A WIDE RANGE OF APPLICATIONS IN PREGNANT AND BREAST-FEEDING WOMEN*

- Control of excessive weight gain.
- Blood-sugar control.
- Prevention of infections from Streptococcus agalactaiae (septicaemia and meningitis in newborns).
- *CSIC scientific workshop 2009: Probiotics and Health

- Prevention of vaginal infections.
- Prevention of infective mastitis.
- Prevention of allergies.

1-2 enteric-coated capsules daily (11 billion CFU)

1. Szajewska et al. Use of probiotics for management of acute gastroententis: a position paper by the ESPGHAN Working Group for Probiotics and Prebiotics. J Pediatr Gastroenterol Nutr. 2014 Apr;58(4):531-9/ 2. Johnston B et al. Probióticos para la prevención de la diarrea asociada et al. Probloucos para la prevencion de la dialité absolada con antibióticos en niños (Revision Cochrane traducida). Cochrane Database of Systematic Reviews 2011 Issue 11. Art. No.: CD004827/ 3. Guandalini S. Probiotics for chil-dren with diarrhea: an update. J Clin Gastroenterol. 2008. Jul;42 Suppl 2:553-7/ 4. Sindhu et al. Immune response and intestinal permeability in children with acute gas-troenteritis treated with Ladobacillus rhamnosus GG: a randomized, double-blind, placebo-controlled trial. Clin

Infect Dis. 2014 Apr;58(8):1107-15/5. Probióticos y salud. Evidencia científica. Workshop Científico CSIC 2009/ 6. Foolad N et al. Prebiotics and probiotics: the prevention and reduction in severity of atopic dermatitis in children. Benef Microbes. 2014 Jun 1;5(2):151-60/7. Cobo J.Mªet al. Efecto de Lactobacillus casei sobre la incidencia de procesos infecciosos en niños/as. Nutr Hosp. 2006;21 (4):547-51. 8/ Reglamento (UE)Nº440/2011 6 de mayo de 2011 sobre la autorización y la denegación de autorización de determinadas declaraciones de propiedades saludables en los alimentos relativas al desarrollo y la salud de los niños/ 9. Parris M. Omega-3 DHA and EPA for cognition, beha-vior and mood: clinical findings and structural-functional

synergies with cell membrane phospholipids. Altern med rev. 2007;12(3):207-227/ 10. Zhang J, Hebert JR, Muldoon MF. Dietary fat intake is associated with psychosocial and cognitive functioning of school-aged children in the United States. J Nutr. 2005 Aug; 135(8):1967-73./ 11. Martins JG. EPA but not DHA appears to be responsible for the efficacy of omega-3 long chain polyunsaturated fatty acid supplementation in depression: evidence from a meta-analysis of randomized controlled trials. J Am Coll Nutr. 2009; 28(5):525-42/ 12. Greenberg J., Bell S., Ausdal W. Omega-3 Fatty Acid Supplementation During Pregnancy. Rev Öbstet Gynecol. 2008 Fall; 1(4): 162–169/ 13. Poniedzialek-Czajkowska et al. Polyunsaturated fatty acids in

pregnancy and metabolic syndrome: a review. Curr Pharm Biotechnol. 2014;15(1):84-99/ 14. Makrides et al. Marine oil, and other prostaglandin precursor, supplementation of pregnancy uncomplicated by pre-edampsia or intrau-terine growth restriction. Cochrane Database of Systematic Review. 2006, issue 3, art nº:CD003402/ 15. Aires et al. Ácidos grasos esenciales. Su influencia en las diferentes etapas de la vida. Offarm.205,24(4). 16. Fact about vita-mins, minerals and other food components with health effects. Food Supplements Europe.2013.

Acidophilus Ultra









